Scanned by DCH	Date 7 / 10 / 08	Doc ID# . 5138
----------------	------------------	-------------------

DENRAUSE ONLY	Paper Repo	nt □Electronic	Data - Email CD (data	loaded: Yes / N	o)	Doc/Event	#:
NC DENR Division of Waste	_						nmental Monitoring Reporting Form
Notice: This form and for inspection and examinatructions:					Statute 132-1	. As such, these	documents are available
 Attach a notification Attach a notification Attach a notification (NCAC 13B .1629 (4)) In accordance with bottom of this page, w 	nt legibly. n table with val analysis of the n table of any o (a)(i). NC General S when applicable igned and seal	iues that attain or exc cause and significan groundwater or surfac methane gas values t Statutes Chapter 89C e. led form, any tables,	eed NC 2L groundwal ce of each value. (e.g. a water values that ec hat attain or exceed en and 89E and NC Solin	. naturally occurr qual or exceed th xplosive gas leve I Waste Manage	ing, off-site s e reporting li els. This incl ment Rules	source, pre-exis imits. udes any struc 15A NCAC 13E	ards. The notification must sting condition, etc.). tures on or nearby the facility 3, be sure to affix a seal to the MM, Solid Waste Section,
Solid Waste Mor						Terresido de la composição de la composi	
Martin Cou	nty Soli	d Waste	<u> </u>				
Contact for question							:
Name: Enviro	nmental	I, Steve Jon	es Phone:	25	2 756-6	208	
L-indi,							
Facility name:		Facility Address:		Facility Permit			Actual sampling dates (e.g., October 20-24, 2006)
Martin Cou C & D Site	- 1	1445 Landf Williamsto	ill Road on, NC 27892	5901	.0	500	5-27-08
Environmental State Initial/Backgro			on Monitoring	Assessme	nt Monitoring	g 🗌	Corrective Action
Groundwater a	monitoring data monitoring data	a from monitoring we a from private water s		Methane gas r Corrective act Other(specify)	ion data (spe		
Yes, a notifica monitoring poi preliminary an	iwater or surfa tion of values ints, dates, ana alysis of the ca tion of values	alytical values, NC 2L ause and significance exceeding an explosi	rater or surface water groundwater standard of any concentration.	i, NC 2B surface	water stand	ard or NC Solid	oundwater and surface water I Waste GWPS and oring points, dates, sample
Furthermore, I have levels, and a prelimination	attached con nary analysis	information report nplete notification o of the cause and s	f any sampling valuignificance of conce	es meeting or on the street on	ita submitta exceeding g	roundwater s dwater standa	nents are true and correct. tandards or explosive gas rds. I am aware that there a fine and imprisonment.
James R. Jer		Superviso			252 792		
Facility Representative N	lame (Print)	Title	6-25-08	Ī	Affix NC Lice	hone Number ensed/ Professi	ional Geologist/Engineer Seal
Signature	.Omre	~ y~j	Date		here:	•	

Table of Values Which Exceed Established Standards And/Or Exceed Reporting Levels

Facility Name: MARTIN CO. LANDFILL (C&D SITE) Permit #: 5901 Lab ID# 6052

														MW-4	MW-2	MW-2	
																	Location
														05/27/2008	05/27/2008	05/27/2008	Collection Exceeds Date Std
														Barium	Barium	Arsenic	Exceeds Std
			:														Parameter
								:						7440-39-3	7440-39-3	7440-38-2	CAS#
														100	114	19	Result, ug/l
		i								<u>.</u>				2000	2000	50	NC 2L STD **
																	NC GWP STD **
						i											NC 2B SWS **

** Note: NC 2L STD = NC 2L Ground Water Standard

NC GWP STD = NC Solid Waste Groundwater Protection Standard

NC 2B SWS = NC 2B Surface Water Standard

Page: 1/1